




# PCR-4X4 & SUV-LTR TIRES



**petlas**  
TRACK OF TRUST



Premium Quality PCR,  
4X4 & SUV-LTR Tires

#### **NOTICES & DISCLAIMER**

\* For load capacity and inflation pressure figures on different speed rates, please consult the producer company.

\*\* Load capacity on standard speed and standard load.

Our company is entitled to change any information in this brochure without prior notice.

This brochure overrides any previous catalogues

All figures are for reference; our company cannot be deemed responsible for printing errors.

\*\*\* The visual content of the brochure is only representative. To find the compatible tire for your car, please refer to the car service or authorized dealer.

Passenger Car Tires



**PT311  
ELEGANT**



**PT515  
IMPERIUM**



**PT525  
PROGREEN**



**PT741  
VELOX SPORT**



**PT565  
MULTI ACTION**

All Weather Tire



**W661  
GLACIER**

Winter Tire



**SNOWMASTER 2**

Winter Tire



**SNOWMASTER 2  
SPORT**

Winter Tire

4X4, SUV Tires



**PT411  
EXPLERO A/S**

All Weather Tire



**PT421  
EXPLERO A/T**



**PT431  
EXPLERO H/T**



**SUVMASTER A/S**

All Weather Tire



**W671  
EXPLERO**

Winter Tire



**W681  
EXPLERO ICE**

Winter Tire



**PEAKLANDER M/T**

All Weather Tire

LTR Tires



**PT825  
FULL POWER**



**PT825  
FULL POWER  
Plus**



**PT835  
FULL POWER**



**PT925  
FULL GRIP**

All Weather Tire



**PT935  
FULL GRIP**

Winter Tire



**VANMASTER A/S**

All Weather Tire




# PT311 ELEGANT

Developed for performance and handling for the general use segment. Offers traction and riding comfort combined with durability.



## DESIGNED FOR OPTIMAL DRIVING PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX
155/80 R12	77T
155/80 R13	79T
165/80 R13	83T
165/80 R13 RF	87R
175/80 R14	88T
165/80 R15	87T
145/70 R12	69T
155/70 R12	73T
165/70 R12	77T
175/70 R12	80T
145/70 R13	71T
155/70 R13	75T
165/70 R13	79T
165/70 R13 RF	83T
175/70 R13	82T
185/70 R13	86T
165/70 R14	81T
165/70 R14 RF	85R
175/70 R14	84T

TYRE SIZE	LOAD/SPEED INDEX
175/70 R14 RF	88T
185/70 R14	88T
195/70 R14	91T
195/70 R15 RF	97T
155/65 R13	73T
165/65 R13	77T
175/65 R13	80T
155/65 R14	75T
165/65 R14	79T
175/65 R14	82T
175/65 R14 RF	86T
185/65 R14	86T
195/65 R14	89H
175/65 R15	84T
185/65 R15	88T
195/65 R15	91T
195/65 R15 RF	95T
165/60 R14	75T

RF : REINFORCED

•• : Sizes with two rib design






# PT515 IMPERIUM



Designed and produced with latest technology. It offers good mileage and excellent braking performance in both wet and dry conditions.



DESIGNED FOR EXCEPTIONAL GRIP IN WET AND DRY CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82H
175/70 R14	84H
175/70 R14 RF	88H
185/70 R14	88H
175/65 R14	82H
175/65 R14 RF	86T
185/65 R14	86H
175/65 R15	84H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H
195/65 R15	91V
195/65 R15 RF	95H
205/65 R15	94H
205/65 R15 RF	99H
205/65 R15	94V
215/65 R15	96V
205/65 R16	95H
215/65 R14	98H
215/65 R16	98V
175/60 R13	77H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R14	82H
195/60 R14	86H
205/60 R14	88V
185/60 R15	84H
185/60 R15 RF	88H
195/60 R15	88H
195/60 R15	88V
205/60 R15	91H
205/60 R15	91V
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
185/55 R15	82V
205/55 R15	88V
195/55 R16	87V
205/55 R16	91H
205/55 R16	91V
215/55 R16	93V
205/50 R15	86V <sup>RP</sup>

RF : REINFORCED  
<sup>RP</sup> : RIM PROTECTOR




# PT525 PROGREEN



Designed to be more fuel efficient with high mileage performance. Guarantees safety, durability and low rolling resistance.



## ECO-FRIENDLY TIRE DESIGNED FOR ULTIMATE TRACTION AND HANDLING



TYRE SIZE	LOAD/SPEED INDEX
175/70 R14	84T
175/70 R14 RF	88T
185/70 R14	88T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
185/65 R15	88H
195/65 R15	91H
195/65 R15 RF	95T
195/65 R15	91V
205/65 R15	94H
185/60 R14	82H
185/60 R15	84H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R15 RF	88H
195/60 R15	88H
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
215/60 R16	95V
185/55 R14	80H <sup>RP</sup>
185/55 R15	82V <sup>RP</sup>
195/55 R15	85H <sup>RP</sup>
195/55 R16	87H <sup>RP</sup>
205/55 R16	91H <sup>RP</sup>
195/50 R15	82H <sup>RP</sup>
195/50 R16 RF	88V <sup>RP</sup>

RF : REINFORCED  
<sup>RP</sup> : RIM PROTECTOR




# PT741 VELOX SPORT



Produced for drivers who desire ultimate handling and grip performance without compromising comfort while driving at high speeds.



DESIGNED FOR OUTSTANDING HANDLING AND GRIP PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/60 R16 RF	99V	205/45 R16 RF	87W <sup>RP</sup>
225/60 R16	98V	215/45 R16 RF	90V <sup>RP</sup>
235/60 R16	100W	205/45 R17 RF	88W <sup>RP</sup>
195/55 R15	85V <sup>RP</sup>	215/45 R17 RF	91W <sup>RP</sup>
185/55 R16 RF	87H <sup>RP</sup>	225/45 R17 RF	94W <sup>RP</sup>
195/55 R16	87V <sup>RP</sup>	225/45 R17 RFT	91W <sup>RP</sup>
195/55 R16 RFT	87V <sup>RP</sup>	235/45 R17 RF	97W <sup>RP</sup>
205/55 R16 RFT	91V <sup>RP</sup>	245/45 R17 RF	99W <sup>RP</sup>
205/55 R16 RF	94W <sup>RP</sup>	215/45 R18 RF	93W <sup>RP</sup>
215/55 R16 RF	97W <sup>RP</sup>	225/45 R18 RF	95W <sup>RP</sup>
225/55 R16 RF	99W <sup>RP</sup>	225/45 R18 RFT	91W <sup>RP</sup>
205/55 R17 RF	95W <sup>RP</sup>	235/45 R18 RF	98W <sup>RP</sup>
215/55 R17 RF	98W <sup>RP</sup>	245/45 R18 RF	100W <sup>RP</sup>
225/55 R17 RF	101W <sup>RP</sup>	245/45 R18 RFT	96W <sup>RP</sup>
225/55 R17 RFT	97W <sup>RP</sup>	255/45 R18 RF	103W <sup>RP</sup> ..
235/55 R17 RF	103W <sup>RP</sup>	275/45 R18 RF	107W <sup>RP</sup> ..
235/55 R18 RF	104W <sup>RP</sup>	225/45 R19 RF	96W <sup>RP</sup>
195/50 R15	82V <sup>RP</sup>	235/45 R19 RF	99W <sup>RP</sup>
195/50 R16	84V <sup>RP</sup>	245/45 R19 RF	102W <sup>RP</sup>
205/50 R16 RF	91W <sup>RP</sup>	245/45 R19 RFT	98W <sup>RP</sup>
225/50 R16 RF	96W <sup>RP</sup>	255/45 R19 RF	104Y <sup>RP</sup> ..
205/50 R17 RF	93W <sup>RP</sup>	205/40 R16 RF	83W <sup>RP</sup>
205/50 R17 RFT	89W <sup>RP</sup>	215/40 R16 RF	86W <sup>RP</sup>
215/50 R17 RF	95W <sup>RP</sup>	205/40 R17 RF	84W <sup>RP</sup>
225/50 R17 RF	98W <sup>RP</sup>	215/40 R17 RF	87W <sup>RP</sup>
225/50 R17 RFT	94W <sup>RP</sup>	235/40 R17 RF	94W <sup>RP</sup>
235/50 R18 RF	101W <sup>RP</sup>	245/40 R17 RF	95W <sup>RP</sup>
245/50 R18	100W <sup>RP</sup>	215/40 R18 RF	89W <sup>RP</sup>
245/50 R18 RFT	100W <sup>RP</sup>	215/40 R18 RF-RFT	85Y
195/45 R16 RF	84V <sup>RP</sup>	225/40 R18 RF	92Y <sup>RP</sup>

# PT741 VELOX SPORT



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
225/40 R18 RF-RFT	92Y <sup>RP</sup>	235/35 R19 RF	91W <sup>RP</sup>
235/40 R18 RF	95W <sup>RP</sup>	245/35 R19 RF	93W <sup>RP</sup>
245/40 R18 RF	97W <sup>RP</sup>	245/35 R19 RF-RFT	93Y <sup>RP</sup>
245/40 R18 RFT	93W <sup>RP</sup>	255/35 R19 RFT	92W <sup>RP</sup> ..
255/40 R18	95W <sup>RP</sup> ..	255/35 R19 RF	96W <sup>RP</sup> ..
255/40 R18 RFT	95Y ..	265/35 R19 RF	98W <sup>RP</sup> ..
265/40 R18 RF	101Y <sup>RP</sup> ..	275/35 R19 RF	100W <sup>RP</sup> ..
275/40 R18 RF	103Y <sup>RP</sup> ..	275/35 R19 RFT	96W <sup>RP</sup> ..
275/40 R18 RF-RFT	99Y ..	285/35 R19	99Y <sup>RP</sup> ..
225/40 R19 RF	93W <sup>RP</sup>	285/35 R19 RF-RFT	99Y <sup>RP</sup> ..
225/40 R19 RF-RFT	93Y <sup>RP</sup>	295/35 R19 RF	104W <sup>RP</sup> ..
235/40 R19 RF	96Y <sup>RP</sup>	225/35 R20 RF	90Y
245/40 R19 RF	98W <sup>RP</sup>	225/35 R20 RF-RFT	90Y
245/40 R19 RFT	94W <sup>RP</sup>	245/35 R20 RF	95W <sup>RP</sup>
255/40 R19 RF	100W <sup>RP</sup>	245/35 R20 RF-RFT	95Y
265/40 R19 RF	102W <sup>RP</sup> ..	255/35 R20 RF	97W <sup>RP</sup> ..
275/40 R19 RF	105Y <sup>RP</sup> ..	265/35 R20 RF	99W <sup>RP</sup> ..
275/40 R19 RFT	101Y <sup>RP</sup> ..	275/35 R20 RF	102Y <sup>RP</sup> ..
285/40 R19 RF	107W <sup>RP</sup> ..	275/35 R20 RF-RFT	102Y <sup>RP</sup> ..
245/40 R20 RF	99W <sup>RP</sup>	295/35 R20 RF	105W <sup>RP</sup> ..
245/40 R20 RF-RFT	99Y	245/30 R19 RF	89W <sup>RP</sup>
255/40 R20 RF	101W <sup>RP</sup> ..	255/30 R19 RF	91W <sup>RP</sup> ..
245/35 R17	87W <sup>RP</sup>	255/30 R19 RF-RFT	91Y ..
215/35 R18 RF	84W <sup>RP</sup>	265/30 R19 RF	93W <sup>RP</sup> ..
225/35 R18 RF	87W <sup>RP</sup>	275/30 R19 RF	96W <sup>RP</sup> ..
245/35 R18 RF	92W <sup>RP</sup>	275/30 R19 RF-RFT	96W ..
245/35 R18 RFT	88Y	285/30 R19 RF	98W <sup>RP</sup> ..
255/35 R18 RF	94Y <sup>RP</sup> ..	295/30 R19 RF	100W <sup>RP</sup> ..
255/35 R18 RFT	90Y <sup>RP</sup> ..	305/30 R19 RF	102W <sup>RP</sup> ..
265/35 R18 RF	97W <sup>RP</sup> ..	245/30 R20 RF	90Y <sup>RP</sup>
275/35 R18 RF	99W <sup>RP</sup> ..	255/30 R20RF	92Y <sup>RP</sup> ..
275/35 R18 RFT	95Y <sup>RP</sup> ..	255/30 R20 RF-RFT	92Y ..
285/35 R18 RF	101W <sup>RP</sup> ..	265/30 R20 RF	94Y <sup>RP</sup> ..
285/35 R18 RFT	97Y <sup>RP</sup> ..	275/30 R20 RF	97W <sup>RP</sup> ..
295/35 R18	99Y <sup>RP</sup> ..	275/30 R20 RF-RFT	97Y ..
215/35 R19 RF	85W <sup>RP</sup>	285/30 R20 RF	99W <sup>RP</sup> ..
225/35 R19 RF	88W <sup>RP</sup>	295/30 R20 RF	101W <sup>RP</sup> ..
225/35 R19 RF-RFT	88Y	305/30 R20 RF	103W <sup>RP</sup> ..

RF : REINFORCED

**RFT** : RUN FLAT

<sup>RP</sup> : RIM PROTECTOR

.. : Sizes with two rib design





# PASSENGER CAR TIRES

## PT565 MULTI ACTION


*All Weather Tire*



Designed for all weather and road conditions to be used year round in all seasons. It is developed to provide balanced performance on dry, wet and snow. 3PMSF symbol on sidewall is approved for use on snow.



### ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
155/70 R13	75T	225/55 R17 RF	101W (RP)
165/70 R13	79T	235/55 ZR17 RF	103W (RP)
175/70 R13	82T	195/55 R20 RF	95H
175/70 R14	84T (RP)	195/50 R15	82V (RP)
175/65 R14	82T	195/50 R16 RF	88V (RP)
185/65 R14	86T	205/50 R17 RF	93W (RP)
175/65 R15	84H	215/50 R17 RF	95W (RP)
185/65 R15	88T	225/50 R17 RF	98V (RP)
185/65 R15	88H	195/45 R16 RF	84V (RP)
185/65 R15	92H	215/45 R16 RF	90V (RP)
195/65 R15	91H	205/45 R17 RF	88W (RP)
195/65 R15 RF	95H	215/45 ZR17 RF	91W (RP)
205/65 R15	94H	225/45 R17 RF	94W (RP)
215/65 R16 RF	102V	235/45 R17 RF	97W (RP)
185/60 R14	82H	245/45 R17 RF	99Y (RP)
185/60 R15 RF	88H	225/45 R18 RF	95W (RP)
185/65 R15	92H	225/45 ZR18 RF	95Y (RP)
195/60 R15	88H	235/45 R18 RF	98W (RP)
205/60 R16	96V	245/45 R18 RF	100W (RP)
215/60 R16 RF	99V	225/45 R19 RF	96W (RP)
185/55 R14	80H	245/40 ZR17 RF	95Y (RP)
185/55 R15 RF	86H	225/40 R18 RF	92W (RP)
195/55 R15	85H	235/40 ZR18 RF	95Y (RP)
195/55 R16	87H	245/40 R18 RF	97Y
205/55 R16	91H	235/40 ZR19 RF	96Y (RP)
205/55 R16	91V	235/35 ZR19 RF	91Y (RP)
205/55 R16 RF	94V	245/35 R19 RF	93Y (RP)
215/55 R16 RF	97V (RP)	255/35 R19 RF	96Y (RP)
225/55 R16 RF	99W (RP)		
205/55 R17 RF	95W (RP)	<b>UNDER DEVELOPMENT</b>	
215/55 R17 RF	98W (RP)	185/65 R15 RF	92H

RF : REINFORCED  
(RP) : RIM PROTECTOR


# W661 GLACIER

*Winter Tire*

Glacier W661 is specifically developed to help drivers keep moving in the harshest winter conditions where the roads are covered with snow and ice. Ensures ultimate safety by providing precise handling and short braking distance on snowy and icy roads. Optimized profile keeps contact with the ground at even the most extreme conditions. The superior performance of W661 is proven on relentless tests in the challenging weather and road conditions of Finland.



## MORE THAN MEETS THE ICE



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82T	195/55 R16	87T
175/65 R14	82T	205/55 R16	91T
185/65 R14	86T	215/55 R16 RF	97T
185/65 R15	88T	215/55 R17 RF	98T
195/65 R15	91T	225/55 R17 RF	101T
205/65 R15	94T	215/50 R17 RF	95T
185/60 R15 RF	88T	225/50 R17 RF	98T
195/60 R15	88T	225/45 R17 RF	94T
205/60 R16	92T		
205/60 R16 RF	96T		

RF: REINFORCED






# SNOWMASTER 2

*Winter Tire*

SnowMaster 2 is a winter tire developed to provide short braking distances, superior traction performance and safety on snowy surfaces at low temperatures.



## HIGH PERFORMANCE ON SNOW



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
155/80 R13	79T	195/65 R15	91H
165/80 R13	83T	195/65 R15 RF	95H
155/70 R13	75T	205/65 R15	94H
165/70 R13	79T	205/65 R16	95H
175/70 R13	82T	185/60 R14	82H
165/70 R14	81T	185/60 R15 RF	88H
175/70 R14	84T	195/60 R15	88H
175/70 R14 RF	88T	205/60 R16 RF-RFT	96H
185/70 R14	88T	185/55 R15	82H
155/65 R13	73T	195/55 R15	85H
155/65 R14	75T	185/55 R16 RF	87H
165/65 R14	79T	195/55 R16	87H
175/65 R14	82T	205/55 R16	91H
175/65 R14 RF	86T	205/55 R16 RFT	91H
185/65 R14	86T	195/50 R15	82H (RP)
175/65 R15	84T	195/50 R16 RF	88H (RP)
185/65 R15	88H		
185/65 R15 RF	92H		

RF : REINFORCED  
**RFT** : RUN FLAT  
 (RP) : RIM PROTECTOR






# SNOWMASTER 2 SPORT

*Winter Tire*

SnowMaster 2 Sport is a high performance winter tire developed to offer short braking distances and superior handling on snowy roads and a comfortable ride on dry roads.



## HIGH PERFORMANCE ON SNOW



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/65 R16 RF	102H	215/45 R18 RF	93V <sup>(RP)</sup>
215/60 R16 RF	99H	225/45 R18 RF	95V <sup>(RP)</sup>
235/60 R16	100H <sup>(RP)</sup>	225/45 R18 RF-RFT	95V <sup>(RP)</sup>
215/55 R16 RF	97H	235/45 R18 RF	98V <sup>(RP)</sup>
225/55 R16 RF	99H <sup>(RP)</sup>	245/45 R18 RF	100V <sup>(RP)</sup>
205/55 R17 RF	95V	235/45 R19 RF	99V <sup>(RP)</sup>
215/55 R17 RF	98V <sup>(RP)</sup>	245/45 R19 RF	102V <sup>(RP)</sup>
225/55 R17 RF	101V <sup>(RP)</sup>	245/40 R17 RF	95V <sup>(RP)</sup>
235/55 R17 RF	103V <sup>(RP)</sup>	225/40 R18 RF	92V <sup>(RP)</sup>
205/50 R17 RF	93V <sup>(RP)</sup>	235/40 R18 RF	95V <sup>(RP)</sup>
215/50 R17 RF	95V <sup>(RP)</sup>	245/40 R18 RF	97V <sup>(RP)</sup>
225/50 R17 RF	98V <sup>(RP)</sup>	255/40 R18 RF	99V <sup>(RP)</sup>
225/50 R17 RF-RFT	98V <sup>(RP)</sup>	225/40 R19 RF	93W <sup>(RP)</sup>
215/50 R18	92V <sup>(RP)</sup>	225/40 R19 RF-RFT	93W <sup>(RP)</sup>
225/50 R18 RF	99V <sup>(RP)</sup>	245/40 R19 RF	98V <sup>(RP)</sup>
245/50 R18 RF	104V <sup>(RP)</sup>	255/40 R19 RF	100V <sup>(RP)</sup>
205/45 R17 RF	88V <sup>(RP)</sup>	255/40 R20 RF	101W <sup>(RP)</sup>
215/45 R17 RF	91V <sup>(RP)</sup>	255/35 R20 RF	97W <sup>(RP)</sup>
225/45 R17 RF	94V <sup>(RP)</sup>		
235/45 R17 RF	97V <sup>(RP)</sup>		
245/45 R17 RF	99V <sup>(RP)</sup>		

RF : REINFORCED  
**RFT** : RUN FLAT  
<sup>(RP)</sup> : RIM PROTECTOR





# 4X4, SUV TIRES

## PT411 EXPLERO A/S


*All Weather Tire*



High performance 4x4-SUV tire offering reliable performance throughout the year. Shows great traction performance on any kind of road with its special compound mixture. Offers superb comfort by reducing the levels of noise and vibration.



### OUTSTANDING DRIVING PERFORMANCE IN ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
235/75 R15	105H	235/65 R17 RF	108H
205/70 R15	96H	245/65 R17 RF	111H
215/70 R15	98H	255/65 R17	110H
215/70 R16	100H	265/65 R17	112H
225/70 R16 RF	107T	215/60 R16	95H
235/70 R16	106H	235/60 R16	100H
245/70 R16	107H	225/60 R17 RF	103H
255/70 R16	111T	255/60 R18 RF	112V
265/70 R16	112T		
215/65 R16	98H	<b>UNDER DEVELOPMENT</b>	
215/65 R16 RF	102H	265/70 R18	
255/65 R16	109H	285/60 R18	
215/65 R17	99H	275/60 R20	
225/65 R17	102H	285/50 R20	

RF: REINFORCED



# PT421 EXPLERO A/T



Produced to meet the demands of high performance SUV and 4x4 vehicles. Reliable and long lasting all terrain tire thanks to its special compound. Special tread design improves braking performance and reduces irregular wear.




## ALL TERRAIN PATTERN WITH UNIQUE TRACTION CAPABILITY



### EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	LOAD/SPEED INDEX
205/80 R16 RF	104T (RP)
215/80 R15	102S (RP)
235/75 R15	105T (RP)
255/70 R15	108T (RP)
265/70 R15 RF	116T (RP)
235/70 R16	106T (RP)

TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T (RP)
215/65 R16	98T (RP)
265/65 R17 RF	116S (RP)
255/60 R18 RF	112H (RP)
265/60 R18 RF	114T (RP)

RF : REINFORCED  
 (RP) : RIM PROTECTOR



## PT431 EXPLERO H/T



Summer tire developed for luxury SUVs. It combines quality and high performance with its specially developed tread design and compound. Block array maximizes grip performance in every driving condition. Offers short braking distance on wet roads.




### DESIGNED FOR ULTIMATE DRIVING COMFORT



#### EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	LOAD/SPEED INDEX
225/65 R17	102H (RP)
235/65 R17 RF	108V
215/60 R17	96V (RP)
235/60 R17	102V (RP)
255/60 R17	106V (RP) ..
225/60 R18	100H (RP)
235/60 R18 RF	107V (RP)
245/60 R18	105H (RP)
255/60 R18 RF	112V (RP) ..
265/60 R18	110H (RP) ..
265/60 R18	110V (RP) ..
225/55 R17	97V (RP)
235/55 R17 RF	103V (RP)
215/55 R18	95H (RP)
225/55 R18	98V (RP)
235/55 R18	100V (RP)
255/55 R18 RF	109V (RP) ..
225/55 R19	99H (RP)
235/55 R19 RF	105V (RP)
245/55 R19	103H (RP)
255/55 R19 RF	111V (RP) ..
275/55 R19	111V (RP) ..
255/55 R20 RF	110Y (RP) ..

TYRE SIZE	LOAD/SPEED INDEX
235/50 R18 RF	101V (RP)
235/50 R19 RF	103W (RP)
255/50 R19 RF	107V (RP) ..
255/50 R19 RF-RFT	107W (RP) ..
265/50 R19 RF	110W (RP) ..
255/50 R20 RF	109Y (RP) ..
275/45 R19 RF	108W (RP) ..
285/45 R19	107V (RP) ..
255/45 R20 RF	105Y (RP) ..
275/45 R20 RF	110W (RP) ..
285/45 R20 RF	112Y (RP) ..
275/45 R21 RF	110Y (RP) ..
275/40 R20	102W (RP) ..
275/40 R20 RF-RFT	106Y (RP) ..
275/40 R22 RF	108Y (RP) ..
315/35 R20	110W (RP) ..
315/35 R20 RF-RFT	110W (RP) ..
265/35 R21 RF	101Y (RP) ..
295/35 R21 RF	107Y (RP) ..

RF : REINFORCED  
**RFT**: RUN FLAT  
 .. : Sizes with two rib design  
 (RP) : RIM PROTECTOR



# SUVMASTER A/S



*All Weather Tire*

All weather tire for a wide range of weather and road conditions. The V-shaped channels offer effective discharge of water, mud and snow. Delivers excellent driving and cornering capabilities and assures safety on both ice and snow thanks to its unique pattern design and special compound. 3PMSF and M+S markings on the tire prove better grip and braking on snowy roads.




## ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



### EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	LOAD/SPEED INDEX
215/65 R17 RF	103V
235/65 R17 RF	108W
215/60 R17 RF	100V
225/60 R18 RF	104W
235/60 R18 RF	107W
215/55 R18 RF	99V
225/55 R18 RF	102V
235/55 R18 RF	104V
255/55 R18 RF	109W
235/55 R19 RF	105W
215/50 R18	92W
235/50 R18 RF	101W
235/45 R19 RF	99W
245/45 R19 RF	102W

RF: REINFORCED  
 : RIM PROTECTOR





# 4X4, SUV TIRES

## W671 EXPLERO


*Winter Tire*



Designed for high traction and grip performance on snowy and icy roads. Provides stability on dry roads with special compound. Unique pattern design enables ultimate handling and cornering performance. Reduces stopping distance on slippery roads.



### CONFIDENT TRACTION AND BRAKE PERFORMANCE ON SEVERE WINTER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/80 R15	102S	235/55 R18 RF	104H <sup>RP</sup>
205/80 R16 RF	104T	255/55 R18 RF	109V <sup>RP</sup>
235/75 R15 RF	109T	255/55 R18 RF-RFT	109H <sup>RP</sup>
205/70 R15	96T	205/55 R19 RF	97H <sup>RP</sup>
215/70 R15	98H	225/55 R19	99H <sup>RP</sup>
215/70 R16 RF	104H	235/55 R19 RF	105V <sup>RP</sup>
225/70 R16 RF	107H	245/55 R19	103H <sup>RP</sup>
235/70 R16	106T	255/55 R19 RF	111V <sup>RP</sup>
245/70 R16 RF	111T	275/55 R19	111H <sup>RP</sup> ..
255/70 R16	111T	235/50 R18 RF	101V <sup>RP</sup>
265/70 R16	112T	235/50 R19 RF	103V <sup>RP</sup>
215/65 R17	99H	255/50 R19 RF	107V <sup>RP</sup>
225/65 R17 RF	106H	255/50 R19 RF-RFT	107V <sup>RP</sup>
235/65 R17 RF	108V	245/50 R20	102V <sup>RP</sup>
245/65 R17 RF	111H	265/50 R20 RF	111H <sup>RP</sup>
255/65 R17 RF	114H	225/45 R19 RF	96V <sup>RP</sup>
265/65 R17 RF	116H	285/45 R19 RF	111H <sup>RP</sup> ..
215/60 R17 RF	100H	275/45 R20 RF	110V <sup>RP</sup> ..
225/60 R17 RF	103V	275/40 R20 RF	106V <sup>RP</sup> ..
235/60 R17 RF	106H	275/40 R20 RF-RFT	106V <sup>RP</sup> ..
255/60 R17 RF	110V	315/35 R20 RF	110V <sup>RP</sup> ..
225/60 R18 RF	104V	315/35 R20 RF-RFT	110V <sup>RP</sup> ..
235/60 R18 RF	107H		
245/60 R18 RF	105H		
255/60 R18 RF	112H		
265/60 R18 RF	114H <sup>RP</sup>		
235/55 R17 RF	103V <sup>RP</sup>		
215/55 R18	95H <sup>RP</sup>		
225/55 R18 RF	102H <sup>RP</sup>		

RF : REINFORCED  
 RFT : RUN FLAT  
<sup>RP</sup> : RIM PROTECTOR  
 .. : Sizes with two rib design

# W681 EXPLERO ICE

*Winter Tire*

W681 Explero Ice is specifically developed to endure the most extreme road and weather conditions. Guarantees perfection in safety by providing precise handling and short braking distance even when the road is blanketed with snow or ice. Optimized tread profile and carefully engineered compound mixture ensures continuous contact with the ground at even the most extreme climates. The outstanding performance is affirmed on relentless testing conditions of Finland.




## EXTREME PERFORMANCE FOR EXTREME CHALLENGES



### EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T
215/65 R16 RF	102T
215/60 R17 RF	100T

RF : REINFORCED



# 4X4, SUV TIRES

## PEAKLANDER M/T



*All Weather Tire*

Engineered to deliver unmatched traction, longevity, and resilience, the PEAKLANDER M/T is set to transform the off-road driving experience for enthusiasts worldwide.



### EXCELLENCE IN TRACTION DURABILITY AND PERFORMANCE



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
31X10.50 R15LT	6PR	109Q	LT265/75 R16	10PR	123/120Q
33X12.50 R15LT	6PR	108Q	LT315/75 R16	8PR	121Q
35X12.50 R15LT	6PR	113Q	LT245/75 R17	10PR	121/118Q
35X12.50 R17LT	10PR	121Q	LT245/70 R16	8PR	113/110Q
35X12.50 R18LT	8PR	118Q	LT265/70 R17	10PR	121/118Q
35X12.50 R18LT	10PR	123Q	LT285/70 R17	10PR	121/118Q
35X12.50 R20LT	10PR	121Q			
LT245/75 R16	8PR	114Q	<b>UNDER DEVELOPMENT</b>		
LT245/75 R16	10PR	120/116Q	35x12.50 R16LT		
LT265/75 R16	6PR	112/109Q	LT285/75 R16		
			LT265/60 R18		



# PT825 FULL POWER



Designed for commercial light trucks, transporters and vans. Deep treads and straight ribs provide excellent handling in any kind of weather condition. Enhances cornering safety and thanks to its wear resistant special compound, offers durability.



DESIGNED TO DELIVER OPTIMAL PERFORMANCE AND DURABILITY



**EU LABEL**  
Average values from all sizes of this specific model.

FUEL EFFICIENCY	WET GRIP	NOISE LEVELS
A	A	72 db
B	B	A B C
C	C	
D	D	
E	E	

TYRE SIZE	PR	LOAD/SPEED INDEX
195 R15 C	8PR	106/104R






## PT825 FULL POWER Plus



Radial summer tire designed with high technology. Offers high grip performance and wear resistance thanks to its special tread compound.



### OUTSTANDING GRIP PERFORMANCE IN WET AND DRY CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
5.00 R12C		83/81P	215/75 R16 C		116/114R
155 R12 C		88/86N	225/75 R16 C		118/116R
155 R13 C		90/89R	165/70 R14 C		89/87R
185 R14 C		102/100R	195/70 R15 C		104/102R
195 R14 C		106/104R	205/70 R15 C		106/104R
205 R14 C		109/107P	215/70 R15 C		109/107S
215 R14 C		112/110P	225/70 R15 C		112/110R
185 R15 C		103/102R	225/70 R15 C		116/114R
175/75 R16 C		101/99R	205/65 R15 C		102/100T
185/75 R16 C		104/102R	205/65 R16 C		107/105T
195/75 R16 C		107/105R	215/65 R16 C		109/107R
205/75 R16 C		110/108R	225/65 R16 C		112/110R
205/75 R16 C		113/111R	235/65 R16 C		115/113R
215/75 R16 C		113/111R	235/65 R16 C		121/119R




## PT835 FULL POWER



Safe handling in all kind of situations, even under heavy loads. Wide contact area increases stability and enhances driving performance. Offers excellent mileage, rolling resistance and safety in wet roads.



LONG LASTING PERFORMANCE, WITH ULTIMATE WET GRIP AND HANDLING CAPABILITY



TYRE SIZE	PR	LOAD/SPEED INDEX
205/75 R16 C	8PR	110/108R
215/75 R16 C	8PR	113/11R
215/75 R16 C	10PR	116/114R
225/70 R15 C	8PR	112/110R
215/65 R15 C	6PR	104/102T
195/65 R16 C	8PR	104/102T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
235/65 R16 C	8PR	115/113R
235/65 R16 C	12PR	121/119R
285/65 R16 C	10PR	128N ..
195/60 R16 C	6PR	99/97T

.. : Sizes with two rib design




## PT925 FULL GRIP

*All Weather Tire*

Designed for all weather performance. Offers excellent traction in difficult conditions thanks to its V shaped special tread pattern design.



### EXCELLENT GRIP CAPABILITY WITH LONG LASTING PERFORMANCE



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155	R12 C	8PR 88/86N	195/70	R15 C	8PR 104/102R
155	R13 C	8PR 90/89N	205/70	R15 C	8PR 106/104R
185	R14 C	8PR 102/100R	215/70	R15 C	8PR 109/107R
195	R14 C	8PR 106/104R	225/70	R15 C	8PR 112/110R
175/75	R16 C	8PR 101/99R	205/65	R15 C	8PR 102/100T
185/75	R16 C	8PR 104/102R	205/65	R16 C	8PR 107/105T
195/75	R16 C	8PR 107/105R	215/65	R16 C	8PR 109/107R
205/75	R16 C	8PR 110/108R	225/65	R16 C	8PR 112/110R
215/75	R16 C	8PR 113/111R	235/65	R16 C	8PR 115/113R
225/75	R16 C	8PR 118/116R	195/60	R16 C	6PR 99/97T
225/75	R16 C	10PR 118/116R			



## PT935 FULL GRIP




*Winter Tire*

Unique tread design with wavy sipes enables high grip performance on icy roads. Offers safety and durability.



### EXCEPTIONAL TRACTION AND BRAKE PERFORMANCE IN HARSH WINTER CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155	R12 C	8PR 88/86N	215/70 R15 C	8PR	109/107R
155	R13 C	8PR 90/89N	225/70 R15 C	8PR	112/110R
185	R14 C	8PR 102/100R	215/65 R15 C	6PR	104/102T
195	R14 C	8PR 106/104R	195/65 R16 C	8PR	104/102T
185/75	R16 C	8PR 104/102R	205/65R16 C	8PR	107/105T
195/75	R16 C	8PR 107/105R	215/65 R16 C	8PR	109/107R
205/75	R16 C	10PR 113/111R	225/65 R16 C	8PR	112/110R
215/75	R16 C	10PR 116/114R	235/65 R16 C	8PR	115/113R
225/75	R16 C	8PR 118/116R	235/65 R16 C	12PR	121/119R
225/75	R16 C	10PR 118/116R	285/65R16 C	10PR	128N
195/70	R15 C	8PR 104/102R	195/60 R16 C	6PR	99/97T
205/70	R15 C	8PR 106/104R			

•• : Sizes with two rib design



## VANMASTER AS

*All Weather Tire*



M+S



SUMMER/WINTER

All season light commercial vehicle tire developed for use in all weather and road conditions approved for use on snow.




### IN ALL WEATHER AND ROAD CONDITIONS



#### EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N	215/70 R15 C	8PR	109/107S
155 R13 C	8PR	90/89R	225/70 R15 C	10PR	116/114R
185 R14 C	8PR	102/100R	215/65 R15 C	8PR	104/102T
195 R14 C	8PR	106/104R	205/65 R16 C	6PR	107/105T
185/75 R16 C	8PR	104/102R	215/65 R16 C	8PR	109/107T
195/75 R16 C	8PR	107/105R	225/65 R16 C	8PR	112/110R
205/75 R16 C	10PR	113/111R	235/65 R16 C	12PR	121/119R
215/75 R16 C	10PR	116/114R	285/65 R16 C	12PR	131R
225/75 R16 C	10PR	118/116R	195/60 R16 C	6PR	99/97T
195/70 R15 C	8PR	104/102R	215/60 R17 C	8PR	109/107T








At Petlas, our commitment is to enhance your driving experience with Petlas PCR - 4x4 & SUV-LTR tires. Designed to meet the challenges of diverse road conditions, these tires combine robust durability with advanced technology, ensuring safety and performance in every journey.

Engineered for long-lasting use and exceptional handling, Petlas PCR - 4x4 & SUV-LTR tires offer an ideal mix of comfort and resilience. Perfect for both daily driving and off-road adventures, they provide reliable grip, smooth handling, and a quiet ride.

For drivers valuing quality and efficiency, Petlas PCR - 4x4 & SUV-LTR tires are the definitive choice. Rely on them for top-notch performance and assurance, no matter where your road leads.



2024 EDITION



**petlas**

**Headquarters - Factory**

Petlas Tire Industry and Trade  
Kindam Mahallesi Ankara - Kayseri Caddesi  
No: 2/1 Kırşehir / TÜRKİYE  
T: +90 386 252 65 50 • F: +90 386 252 65 70

**Int. Sales & Marketing**

Petlas Tire Industry and Trade Ako Kule  
Söğütözü Mh. 2178. Cd. No: 6  
06530 Ankara / TÜRKİYE  
T. +90 312 309 30 30 • F: +90 312 309 22 66

**Petlas Tire USA**

1111 E. Lincolnway STE 205  
Cheyenne, WY 82001 USA

[www.petlas.com](http://www.petlas.com)

Made in TÜRKİYE